Claim Listing

1. (Previously Presented) A compound of the formula:

$$(R^8R^7C)_2$$
 $(CR^5R^6)_q$
 $(R^1)_p$
 $(CR^5R^6)_q$
 $(R^4)_p$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$
 $(CR^5R^6)_q$

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Y is C;

m is 1;

n is 1;

p is from 0 to 3;

q is from 1 to 3;

Z is -(CRaRb),- or -SO2-, where each of Ra and Rb is independently

hydrogen or alkyl;

r is from 0 to 2;

X is CH or N;

each R^1 is independently halo, alkyl, haloalkyl, heteroalkyl, alkoxy, cyano, $-S(O)_s-R^c$, $-C(=O)-NR^cR^d$, $-SO_2-NR^cR^d$, $-N(R^c)\cdot C(=O)-R^d$, or -C(=O) R^c , where each of R^c and R^d is independently hydrogen or alkyl;

s is from 0 to 2;

R² is aryl or heteroaryl;

each of R^3 and R^4 is independently hydrogen, alkyl, hydroxyalkyl or alkoxyalkyl, or R^3 and R^4 together with their shared carbon may form a carbocyclic ring of 3 to 6 members; and

each of R^5 , R^6 , R^7 , R^8 and R^9 is independently hydrogen or alkyl, or one of R^5 and R^6 together with one of R^7 , R^8 and R^9 and the atoms therebetween may form a ring of 5 to 7 members.

- (Original) The compound of claim 1, wherein Z is -(CR^aR^b)_t-.
- 3. (Original) The compound of claim 2, wherein X is N and q is 2.
- 4. (Canceled)
- 5. (Previously Presented) The compound of claim 3, wherein r is 1.
- 6. (Original) The compound of claim 5, wherein R^a and R^b are hydrogen.
- 7. (Original) The compound of claim 6, wherein R² is optionally substituted phenyl or optionally substituted naphthyl.
- 8. (Original) The compound of claim 7, wherein R² is 2-halophenyl, 3-halophenyl, 4-halophenyl, naphthylen-2-yl, 3-cyanophenyl, 4-cyanophenyl, 3-mitrophenyl, 3-aminophenyl, 3-methoxyphenyl, 3-ureaphenyl, or 3-methylsulfonylaminophenyl.
- 9. (Original) The compound of claim 7, wherein p is 1 and R¹ is halo, methyl or methoxy.
 - 10. (Original) The compound of claim 7, wherein R³ and R⁴ are hydrogen.
 - 11. (Original) The compound of claim 7, wherein R^3 and R^4 are methyl.

3

12. (Original) The compound of claim 7, wherein one of R³ and R⁴ is hydrogen and the other is methyl.

HALLR6 #134812 v1

- 13. (Previously Presented) The compound of claim 7, wherein R³ and R⁴ together with the carbon atom therebetween form a cyclobutyl.
- 14. (Previously Presented) The compound of claim 8, wherein said compound is selected from:

```
4-benzyl-6-methyl-8-piperazin-1-yl-H-benzo[1,4]oxazin-3-one;
```

- 4-benzyl-6-methoxy-8-piperazin-1-yl-H-benzo[1,4]oxazin-3-one;
- 4-(2-fluoro-benzyl)-6-methoxy-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(2-chloro-benzyl)-6-methoxy-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(3-chloro-benzyl)-6-methoxy-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-benzyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-onc;
- 4-benzyl-6-fluoro-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(2-fluoro-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-onc;
- 4-(4-fluoro-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(4-chloro-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(4-fluoro-benzyl)-6-fluoro-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(2-fluoro-bcnzyl)-6-fluoro-8-pipcrazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(2-chloro-benzyl)-6-fluoro-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(4-chloro-benzyl)-6-fluoro-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 6-fluoro-4-naphthalen-2-ylmethyl-8-piperazin-1-yl-4H-bcnzo[1,4]oxazin-3-one;
- 4-(3-chloro-benzyl)-6-fluoro-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 3-(3-oxo-8-piperazin-1-yl-2,3-dihydro-benzo[1,4]oxazin-4-ylmethyl)-benzonitrile;
- 4-(3-fluoro-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-benzyl-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- (R)-4-benzyl-2-methyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-bcnzyl-6-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-(4-Fluoro-benzyl)-6-piperazin-1-yl-4H-bcnzo[1,4]oxazin-3-one;
- (S)-4-Benzyl-2-methyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 8-Piperazin-1-yl-4-pyridin-4-ylmethyl-4H-benzo[1,4]oxazin-3-one;
- 4-Benzyl-6-methyl-8-(4-methyl-piperazin-1-yl)-4H-bcnzo[1,4]oxazin-3-one;

HALLR6 #134812 v1

4

```
4-Benzyl-8-(4-methyl-piperazin-1-yl)-4H-benzo[1,4]oxazin-3-one;
4-(1-Phenyl-ethyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
4-(3-Methoxy-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
4-(3-Nitro-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
4-(3-Amino-benzyl)-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
3-(3-Oxo-8-piperazin-1-yl-2,3-dihydro-benzo[1,4]oxazin-4-ylmethyl)-benzonitrile;
N-[3-(3-Oxo-8-piperazin-1-yl-2,3-dihydro-benzo[1,4]oxazin-4-ylmethyl)-phenyl]-methanesulfonamide;
4-(4-Fluoro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
4-(3-Fluoro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
[3-(3-Oxo-8-piperazin-1-yl-2,3-dihydro-benzo[1,4]oxazin-4-ylmethyl)-phenyl]-urea;
```

- 4-Benzyl-8-(3,5-dimethyl-piperazin-1-yl)-4H-benzo[1,4]oxazin-3-one;
- 4-(4-Chloro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;

4-(3-Chloro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4*H*-benzo[1,4]oxazin-3-one;

- 4-Benzyl-6-fluoro-2,2-dimethyl-8-piperazin-1-yl-4H-bcnzo[1,4]oxazin-3-one;
- 4-(4-Chloro-benzyl)-6-fluoro-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 6-Fluoro-4-(3-fluoro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 6-Fluoro-4-(2-fluoro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4*H*-benzo[1,4]oxazin-3-one;
- 6-Fluoro-4-(4-fluoro-benzyl)-2,2-dimethyl-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one
- 4-(3-Chloro-benzyl)-6-fluoro-2,2-dimethyl-8-pipcrazin-1-yl-4H-benzo[1,4]oxazin-3-one;
- 4-Benzyl-8-(3,3-dimethyl-piperazin-1-yl)-4H-benzo[1,4]oxazin-3-one;
- 4-Benzyl-2,2-spiro-cyclobutan-8-piperazin-1-yl-4H-benzo[1,4]oxazin-3-one.
 - 15. (Original) The compound of claim 6, wherein R² is heteroaryl.
 - 16. (Original) The compound of claim 15, wherein R² is pyridine-4-yl.
 - 17-32. (Canceled).
- 33. (Original) The compound of claim 1, wherein said compound is of the formula:

HALLR6 #134812 v1

$$\begin{array}{c|c}
R^{9} \\
R^{8} \\
R^{7} \\
(R^{1})_{p}
\end{array}$$

$$\begin{array}{c|c}
R^{6} \\
R^{5} \\
R^{5} \\
(R^{1})_{n}
\end{array}$$

$$\begin{array}{c|c}
R^{4} \\
(R^{1})_{p}
\end{array}$$

$$\begin{array}{c|c}
R^{2} \\
Z
\end{array}$$

or a pharmaceutically acceptable salt or prodrug thereof, wherein X, Y, Z, R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , m, n, and p are as defined in claim 1.

34. (Original) The compound of claim 1, wherein said compound is of the formula:

or a pharmaceutically acceptable salt or prodrug thereof, wherein Z, R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , n, and p are as defined in claim 1.

35. (Previously Presented) The compound of claim 1, wherein said compound is of the formula:

or a pharmaceutically acceptable salt or prodrug thereof, wherein R^1 , R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , R^a , R^b , n, p and r are as defined in claim 1, and wherein:

t is from 0 to 4; and each R¹⁰ independently is halo, alkyl, alkoxy or cyano.

36. (Previously Presented) The compound of claim 1, wherein said compound is of the formula:

wherein X, Y, R¹, R³, R⁴, R⁵, R⁶, R⁷, R⁸, R⁹, R⁸, R^b, m, p and t are as recited in claim 1₃ and wherein:

t is from 0 to 4; and each R¹⁰ independently is halo, alkyl, alkoxy or cyano.

Atty Docket No.: R0151B-REG

USSN: 10/702,302

37. (Original) The compound of claim 36, wherein R¹ is halo, methyl or methoxy.

650 855 5322

- (Original) The compound of claim 36 wherein R³ and R⁴ each 38. independently is hydrogen or methyl.
- (Original) The compound of claim 36, wherein R³ and R⁴ together 39. with their shared carbon form a cyclobutyl group.
- (Original) The compound of claim 36, wherein R⁶, R⁷, R⁸, R⁹ each 40. independently is hydrogen or methyl.
- 41. (Original) The compound of claim 36, wherein R^a and R^b each independently is hydrogen or methyl.
- (Original) The compound of claim 36, wherein each R¹⁰ is 42. hydrogen, halo, nitro, cyano, amino, urea, methoxy or methanesulfonylamino.
- 43. (Original) A pharmaceutical composition comprising an efficacious amount of the compound of claim 1 in admixture with a pharmaceutically acceptable carrier.
 - 44. (Canceled)
 - 45. (Canceled)
 - 46. (Canceled)
- 47. (Previously Presented) A method for producing a substituted benzoxazinone compound, said method comprising:
 - (a) contacting an N-arylalkyl benzoxazinone of the formula:

To: USPTO

Atty Docket No.: R0151B-REG USSN: 10/702.302

wherein:

A₁ is a leaving group,

m is 1:

p is from 0 to 3;

r is from 0 to 2;

t is from 0 to 4;

each of Ra and Rb is independently hydrogen or alkyl;

each R1 is independently halo, alkyl, haloalkyl, heteroalkyl, alkoxy, cyano,

$$-S(O)_s-R^c$$
, $-C(=O)-NR^cR^d$, $-SO_2-NR^cR^d$, $-N(R^c)-C(=O)-R^d$, or $-C(=O)$

 R^c , where each of R^c and R^d is independently hydrogen or alkyl and s is from 0 to 2;

each of R³ and R⁴ is independently hydrogen or alkyl; and each R¹⁰ is independently halo, alkyl, alkoxy or cyano;

with a heterocyclic compound of the formula:

$$(R^8R^7C)_2 < N \\ N \\ (CR^5R^6)_q$$

wherein:

q is from 1 to 3; and

each of R^5 , R^6 , R^7 , R^8 and R^9 is independently hydrogen or alkyl, or one of R^5 and R^6 together with one of R^7 , R^8 and R^9 may form a ring of 5 to 7 members;

Atty Docket No.: R0151B-REG

USSN: 10/702,302

To: USPTO

in the presence of a palladium catalyst to produce the heterocyclyl-substituted N-arylalkyl henzoxaninone compound of the formula:

- 48. (Original) The method of claim 47, wherein the leaving groups A¹ is halo.
- 49. (Previously Presented) The method of claim 47, wherein the heterocyclic compound is of the formula:

$$\begin{array}{c}
R^{8} \\
\downarrow^{N} \\
\downarrow^{R^{5}}
\end{array}$$

such that the heterocyclyl-substituted N-arylalkyl benzoxaninone compound is of the formula:

and R^{1} , R^{2} , R^{3} , R^{4} , R^{5} , R^{6} , R^{7} , R^{8} , R^{9} , R^{10} , n, p, r and t are as described in claim 47.

FIALLR6 #134812 v1

10

To: USPTO

- 50. (Original) The method of claim 47, further comprising:
- (a) contacting a benzoxazinone of the formula:

wherein n, p, A_1 , R^1 , R^3 and R^4 are as described in claim 1, with an alkylating agent of the formula:

wherein:

 A_2 is a leaving group and may the same or different from A_1 ; and r, t, R^a , R^b and R^{10} are as described in claim 41;

to produce the N-arylalkyl benzoxazinone of the formula:

51. (Canceled)